Gate stays open during
opening hours

Service Road

0        5        10 m

1:100

**Parking**

**Parking**

**Parking**

**Parking**

Wheelchair accessible

2400

3200

**Disabled
Parking**

Break glass

Fire Exit

UP

Bin
store

**Cold
Room**

**Dry
Strore**

Fire Exit

Female
WC

Unisex
Accessible
WC

Bin

Pull cord

EL

FA

FA

EL

Male
WC

EL

FA

Fire Alarm with
flashing beacon

**Kitchen**

FA

EL

**Food
hoist**

NOTE: All steels should be
encased in 2 layers of fire
plasterboard to provide 1hr
fire protection

Break glass

**Entracne**

EL

FA

FA

EL

**Restaurant**

Wash Up

FA

EL

**Bar**

FA

EL

**Office**

EL

FA

DN

FA

Female
WC

Fire Exit

Break glass

Male
WC

EL

FA

**Restaurant**

EL

EL

NOTE: All steels should be
encased in 2 layers of fire
plasterboard to provide 1hr
fire protection

EL

FA

**Bar**

EL

FA

**Food
hoist**

Approximate location of
extract ventilation duct

**Door for maintenance
purposes only**

**Roof**

**No access to customers**

extract ventilation duct

**2  First floor**

**Smoking
shelter**

Door for
deliveries

Cycle parking in accordance
with London Plan Standards

Meter

**Takeaway**

FA

EL

Wheelchair
access

Access to flat

FA

EL

Break glass

MH

MH

DN

Gate stays open during
opening hours

Pavement

Entrance

**1**

**Ground floor**

**1 : 100**

324 Eastcote lane,
Harrow, HA2 9AH

Denotes boundary for licensable activity

FA    Fire Alarm System

EL    Emergency Lighting