



D	24-09-15	Revised following landlord comments	JB	PF
C	08-09-15	Revised following stage 2 meeting	JB	PF
B	14-08-15	Revised to co-ordinate	JB	PF
A	07-07-15	First issue	JB	PF
REV.	DATE	DRAWING REVISIONS	BY	DESCRIBED

This drawing has been reviewed and signed off by McDonald's Restaurants Ltd any errors, changes or discrepancies should be reported to the McDonald's project manager and designers prior to commencing work on site
Name (PM): _____ Date: _____
Signature: _____

GENERAL NOTES:
All works are to be undertaken in accordance with the Building Regulations and the latest British Standards.
All proprietary materials and products are to be used strictly in accordance with the manufacturers recommendations.
All dimensions to be checked on site prior to construction.

PROPOSED DEVELOPMENT AT	STORE No.:
Harrow, St Georges Centre	0675
ON BEHALF OF:	
McDonald's Restaurants Ltd	
DRAWING TITLE:	
Existing & Proposed Internal Layouts	
DRAWN BY:	CHECKED BY:
JB	PF
SCALE:	DRAWING No.:
1:100 @ A1	0912-0675-06
	DATE:
	07-07-15
	REV. No.:
	D

Trenton Fire
119042

Project: McDonald's, Harrow Leisure Centre 0675
Title: Fire Safety Mark-ups
Revision: V1.0
Prepared by: S Lumb-Evans
Checked by: P Newson

Scale: As shown
Date: 03/07/19
Date: 07/11/19

Trenton Fire - Mark-up legend

— 240 minutes fire resistance	● FD20S	☼ Emergency lighting (lines provided by)	🚒 Fire hose reel
— 120 minutes fire resistance	● FD120	🚒 Fire extinguisher - Water	🚒 Smoke vent
— 90 minutes fire resistance	● FD90	🚒 Fire extinguisher - Carbon dioxide	🚒 Dry riser inlet
— 60 minutes fire resistance	● FD60	🚒 Fire extinguisher - Foam	🚒 Dry riser outlet
— 30 minutes fire resistance	● FD30	🚒 Fire extinguisher - Dry powder	🚒 Wet riser inlet
— 90 minutes fire shutter/curtain	● FD20	🚒 Fire extinguisher - Wet chemical	🚒 Wet riser outlet
— 60 minutes fire shutter/curtain	● FD120S	🚒 Fire blanket	🚒 Foam inlet
— 30 minutes fire shutter/curtain	● FD90S	🚒 Automatic suppression (lines provided by)	🚒 Foam outlet
● FD60S	● Aspirating detector (lines provided by)	🚒 Fire alarm manual call point	🚒 Fire plan
● FD30S	● Multi-function detector (lines provided by)	🚒 Fire alarm sounder	🚒 Fire fighter's switch
	● Flame detector (lines provided by)	🚒 Fire alarm panel	🚒 Fire escape ladder
		🚒 Emergency release	
		🚒 Emergency key box	
		🚒 Emergency assembly point	
		🚒 Disabled refuge	
		🚒 Fire exit sign	
		🚒 Illuminated fire exit sign	
		🚒 Directional fire exit sign	
		🚒 Illuminated directional fire exit sign	
		🚒 Fire action notice	
		🚒 Evacuation lift	
		➡ Means of escape indicator	

Notes:
This mark-up has been prepared from site observations.
No invasive survey has been undertaken to verify condition of lines of fire resistance shown.
The performance of the loadbearing structure, external walls and floors should be in accordance with the building fire strategy report.

Colour referencing (McD's European standard)

👉	Relocated item(s)
👉	Item(s) retained in existing location
👉	New construction
👉	New item(s)
👉	Optional/future item(s)

LIM EXTREME PI ONLY - FRANCHISED